



KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

MANOHAR V. DARYANANI									
MEGHARE BAUXITE MINE									
Station: Main Haulage Road (core zone)									
Sr. No.	Month	Report No	Date	RSPM-10 ($\mu\text{g}/\text{m}^3$)	RSPM-2.5 ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Lead ($\mu\text{g}/\text{m}^3$)
1	December-2015.	1512/10627	04.12.2016	71.5	11.2	9.40	5.13	BDL	BDL
2		1512/10675	08.12.2016	70.2	13.4	6.37	3.89	BDL	BDL
3		1512/10718	11.12.2016	68.6	14.6	4.69	4.78	BDL	BDL
4		1512/10761	14.12.2016	72.1	16.2	6.89	5.18	BDL	BDL
5		1512/10804	17.12.2016	69.4	17.3	7.12	2.95	BDL	BDL
6		1512/10847	20.12.2016	68.3	18.9	8.43	3.79	BDL	BDL
7		1512/10890	27.12.2016	60.6	17.2	6.98	1.98	BDL	BDL
8		1512/10933	31.12.2016	64.3	16.3	5.80	1.70	BDL	BDL
1	January-2016.	1601/01095	04.01.2016	70.1	12.6	6.47	2.84	BDL	BDL
2		1601/01038	08.01.2016	72.3	18.2	7.42	2.70	BDL	BDL
3		1601/01081	12.01.2016	73.6	16.3	6.89	3.16	BDL	BDL
4		1601/01123	16.01.2016	58.7	16.9	7.47	4.60	BDL	BDL
5		1601/01166	20.01.2016	69.2	18.3	8.32	1.63	BDL	BDL
6		1601/01209	24.01.2016	65.6	19.3	7.52	2.80	BDL	BDL
7		1601/01252	28.01.2016	66.8	20.3	6.36	0.78	BDL	BDL
8		1601/01295	31.01.2016	63.5	22.1	7.27	2.61	BDL	BDL
1	February-2016.	1602/02569	04.02.2016	62.3	17.5	5.80	1.34	BDL	BDL
2		1602/02612	07.02.2016	65.8	16.3	7.49	3.15	BDL	BDL
3		1602/02655	11.02.2016	62.6	19.5	6.37	1.68	BDL	BDL
4		1602/02698	14.02.2016	64.2	20.6	6.98	1.89	BDL	BDL
5		1602/02741	18.02.2016	68.5	14.7	7.21	2.85	BDL	BDL
6		1602/02784	21.02.2016	62.8	17.2	6.80	1.90	BDL	BDL
7		1602/02827	23.02.2016	69.3	21.4	7.31	3.75	BDL	BDL
8		1602/02870	27.02.2016	67.8	16.1	6.87	2.48	BDL	BDL
	Avg.		-	67.00	17.18	7.00	9.91	-	-
	Min.		-	58.7	11.2	4.69	0.78	-	-
	Max.		-	73.6	22.1	9.4	5.18	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com
PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411-005.
REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



TM

KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

MANOHAR V. DARYANANI									
MEGHARE BAUXITE MINE									
Station: Mining Pit (core zone)									
Sr. No.	Month	Report No	Date	RSPM-10 ($\mu\text{g}/\text{m}^3$)	RSPM-2.5 ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Lead ($\mu\text{g}/\text{m}^3$)
1	December-2015.	1512/10628	04.12.2016	65.4	15.6	8.56	5.20	BDL	BDL
2		1512/10676	08.12.2016	68.2	18.1	7.89	6.42	BDL	BDL
3		1512/10719	11.12.2016	71.4	15.4	5.89	5.62	BDL	BDL
4		1512/10762	14.12.2016	72.4	16.8	6.98	5.19	BDL	BDL
5		1512/10805	17.12.2016	70.2	19.8	9.23	4.36	BDL	BDL
6		1512/10848	20.12.2016	68.6	20.6	9.65	5.98	BDL	BDL
7		1512/10891	27.12.2016	65.2	17.6	8.65	6.35	BDL	BDL
8		1512/10934	31.12.2016	66.9	19.4	7.89	7.45	BDL	BDL
1	January-2016	1601/01096	04.01.2016	70.1	18.5	6.36	5.46	BDL	BDL
2		1601/01039	08.01.2016	68.7	19.4	7.23	5.29	BDL	BDL
3		1601/01082	12.01.2016	71.4	17.2	6.14	3.82	BDL	BDL
4		1601/01124	16.01.2016	73.6	16.5	5.18	2.34	BDL	BDL
5		1601/01167	20.01.2016	68.9	19.8	8.34	6.35	BDL	BDL
6		1601/01210	24.01.2016	67.5	18.7	7.35	5.17	BDL	BDL
7		1601/01253	28.01.2016	71.5	16.8	6.45	4.96	BDL	BDL
8		1601/01296	31.01.2016	70.6	17.6	5.96	3.51	BDL	BDL
1	February-2016	1602/02570	04.02.2016	67.6	16.5	4.65	0.26	BDL	BDL
2		1602/02613	07.02.2016	68.4	15.7	4.88	0.95	BDL	BDL
3		1602/02656	11.02.2016	72.5	18.6	8.62	2.69	BDL	BDL
4		1602/02699	14.02.2016	69.7	19.5	6.80	2.85	BDL	BDL
5		1602/02742	18.02.2016	56.8	20.8	7.65	1.96	BDL	BDL
6		1602/02785	21.02.2016	59.7	21.5	8.68	2.58	BDL	BDL
7		1602/02828	23.02.2016	60.8	19.8	6.95	1.96	BDL	BDL
8		1602/02871	27.02.2016	69.8	17.9	5.69	2.35	BDL	BDL
	Avg.	-	-	68.16	18.25	7.15	4.12	-	-
	Min.	-	-	56.8	15.4	4.65	0.26	-	-
	Max.	-	-	73.6	21.5	9.65	7.45	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com
PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.
REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified

**KLEAN LABORATORIES AND RESEARCH (P) LTD.**

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

MANOHAR V. DARYANANI									
MEGHARE BAUXITE MINE									
Station: Meghare Village (Near Buffer Zone)									
Sr. No.	Month	Report No	Date	RSPM-10 ($\mu\text{g}/\text{m}^3$)	RSPM-2.5 ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Lead ($\mu\text{g}/\text{m}^3$)
1	December-2015.	1512/10629	04.12.2016	68.4	17.9	8.15	5.13	BDL	BDL
2		1512/10677	08.12.2016	67.1	16.6	7.16	4.14	BDL	BDL
3		1512/10720	11.12.2016	57.2	15.7	8.16	5.17	BDL	BDL
4		1512/10763	14.12.2016	55.1	14.8	8.13	4.76	BDL	BDL
5		1512/10806	17.12.2016	70.1	15.8	9.34	5.17	BDL	BDL
6		1512/10849	20.12.2016	76.4	18.5	6.96	4.10	BDL	BDL
7		1512/10892	27.12.2016	74.2	16.4	8.34	3.69	BDL	BDL
8		1512/10935	31.12.2016	69.6	17.3	7.38	2.89	BDL	BDL
1	January-2016	1601/01097	04.01.2016	59.36	18.5	5.98	1.90	BDL	BDL
2		1601/01040	08.01.2016	62.65	15.7	8.15	3.57	BDL	BDL
3		1601/01083	12.01.2016	67.37	18.4	5.90	2.58	BDL	BDL
4		1601/01125	16.01.2016	59.2	18.2	6.18	3.54	BDL	BDL
5		1601/01168	20.01.2016	65.3	16.7	4.96	2.95	BDL	BDL
6		1601/01211	24.01.2016	69.8	15.3	6.38	3.14	BDL	BDL
7		1601/01254	28.01.2016	68.6	18.4	7.35	1.68	BDL	BDL
8		1601/01297	31.01.2016	68.5	16.2	8.19	4.10	BDL	BDL
1	February-2016	1602/02571	04.02.2016	70.5	17.6	5.89	1.56	BDL	BDL
2		1602/02614	07.02.2016	69.2	15.2	6.57	0.90	BDL	BDL
3		1602/02657	11.02.2016	68.5	16.8	5.96	1.86	BDL	BDL
4		1602/02700	14.02.2016	69.7	18.3	6.10	2.95	BDL	BDL
5		1602/02743	18.02.2016	70.5	12.4	5.68	1.68	BDL	BDL
6		1602/02786	21.02.2016	71.5	13.6	5.36	1.95	BDL	BDL
7		1602/02829	23.02.2016	69.8	16.3	7.34	2.76	BDL	BDL
8		1602/02872	27.02.2016	68.6	12.9	6.98	3.15	BDL	BDL
	Avg.		-	67.33	16.39	6.94	3.13	-	-
	Min.		-	55.1	12.4	4.96	0.9	-	-
	Max.		-	76.4	18.5	9.34	5.17	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.


LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com

PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.

REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified

**KLEAN LABORATORIES AND RESEARCH (P) LTD.**

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org


An ISO 9001:2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

MANOHAR V. DARYANANI									
MEGHARE BAUXITE MINE									
Station: Kondivali Village (Buffer Zone)									
Sr. No.	Month	Report No	Day	RSPM-10 (µg/m3)	RSPM-2.5 (µg/m3)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m3)	Lead (µg/m ³)
1	December-2015.	1512/10630	04.12.2016	56.31	19.32	9.12	3.64	BDL	BDL
2		1512/10678	08.12.2016	63.47	13.15	6.17	2.75	BDL	BDL
3		1512/10721	11.12.2016	67.13	14.56	5.69	3.64	BDL	BDL
4		1512/10764	14.12.2016	58.98	17.32	7.68	3.16	BDL	BDL
5		1512/10807	17.12.2016	64.76	16.98	5.96	2.99	BDL	BDL
6		1512/10850	20.12.2016	54.76	17.64	8.67	3.74	BDL	BDL
7		1512/10893	27.12.2016	68.25	16.74	6.95	1.96	BDL	BDL
8		1512/10936	31.12.2016	69.13	18.43	7.31	2.36	BDL	BDL
1	January-2016	1601/01098	04.01.2016	68.24	16.32	6.80	3.16	BDL	BDL
2		1601/01041	08.01.2016	59.10	15.37	7.10	1.54	BDL	BDL
3		1601/01084	12.01.2016	65.67	16.27	6.29	0.96	BDL	BDL
4		1601/01126	16.01.2016	67.26	16.73	5.82	1.95	BDL	BDL
5		1601/01169	20.01.2016	72.87	18.25	6.95	2.35	BDL	BDL
6		1601/01212	24.01.2016	70.15	17.62	7.35	3.17	BDL	BDL
7		1601/01255	28.01.2016	69.84	16.95	8.10	2.95	BDL	BDL
8		1601/01298	31.01.2016	67.89	20.34	6.95	1.63	BDL	BDL
1	February-2016	1602/02572	04.02.2016	59.66	19.43	6.38	1.85	BDL	BDL
2		1602/02615	07.02.2016	61.22	16.46	7.19	2.88	BDL	BDL
3		1602/02658	11.02.2016	68.19	16.87	8.13	1.75	BDL	BDL
4		1602/02701	14.02.2016	56.13	15.67	7.14	2.64	BDL	BDL
5		1602/02744	18.02.2016	68.75	18.95	6.95	3.86	BDL	BDL
6		1602/02787	21.02.2016	69.98	17.68	7.61	4.12	BDL	BDL
7		1602/02830	23.02.2016	70.21	18.62	6.31	1.95	BDL	BDL
8		1602/02873	27.02.2016	71.52	19.67	5.68	2.79	BDL	BDL
	Avg.		-	65.39	17.30	7.01	2.65	-	-
	Min.		-	54.76	13.15	5.68	0.96	-	-
	Max.		-	72.87	20.34	9.12	4.12	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com

PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.

REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001:2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001:2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

MANOHAR V. DARYANANI									
MEGHARE BAUXITE MINE									
Station: Khujare Village (Buffer Zone)									
Sr. No.	Month	Report No	Date	RSPM-10 ($\mu\text{g}/\text{m}^3$)	RSPM-2.5 ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Lead ($\mu\text{g}/\text{m}^3$)
1	December-2015.	1512/10631	04.12.2016	55.32	16.95	8.78	3.54	BDL	BDL
2		1512/10679	08.12.2016	70.14	17.41	6.45	4.25	BDL	BDL
3		1512/10722	11.12.2016	66.24	15.30	7.21	6.15	BDL	BDL
4		1512/10765	14.12.2016	61.42	18.67	5.96	1.96	BDL	BDL
5		1512/10808	17.12.2016	56.38	19.67	9.78	3.65	BDL	BDL
6		1512/10851	20.12.2016	64.28	21.35	8.63	2.96	BDL	BDL
7		1512/10894	27.12.2016	63.89	17.56	7.35	2.69	BDL	BDL
8		1512/10937	31.12.2016	58.94	15.67	6.95	1.96	BDL	BDL
1	January-2016	1601/01099	04.01.2016	65.17	14.89	6.89	0.85	BDL	BDL
2		1601/01042	08.01.2016	51.74	15.71	6.96	1.65	BDL	BDL
3		1601/01085	12.01.2016	58.69	16.64	7.36	2.65	BDL	BDL
4		1601/01127	16.01.2016	56.87	17.24	6.85	1.77	BDL	BDL
5		1601/01170	20.01.2016	68.36	19.65	7.36	3.25	BDL	BDL
6		1601/01213	24.01.2016	69.96	18.75	8.54	4.16	BDL	BDL
7		1601/01256	28.01.2016	71.69	16.38	6.96	1.93	BDL	BDL
8		1601/01299	31.01.2016	70.96	18.74	5.68	0.69	BDL	BDL
1	February-2016	1602/02573	04.02.2016	71.88	17.56	6.90	1.98	BDL	BDL
2		1602/02616	07.02.2016	69.84	18.30	5.80	1.52	BDL	BDL
3		1602/02659	11.02.2016	68.68	15.46	6.18	1.32	BDL	BDL
4		1602/02702	14.02.2016	65.68	18.12	5.67	0.65	BDL	BDL
5		1602/02745	18.02.2016	71.69	19.37	8.62	3.78	BDL	BDL
6		1602/02788	21.02.2016	70.68	16.75	6.46	2.36	BDL	BDL
7		1602/02831	23.02.2016	68.96	17.95	8.35	3.16	BDL	BDL
8		1602/02874	27.02.2016	69.31	18.36	6.35	1.69	BDL	BDL
	Avg.		-	65.28	17.56	7.16	2.52	-	-
	Min.		-	51.74	14.89	5.67	0.65	-	-
	Max.		-	71.88	21.35	9.78	6.15	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com
PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.
REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001:2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified

**KLEAN LABORATORIES AND RESEARCH (P) LTD.**

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001:2008, ISO 14001:2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

MANOHAR V. DARYANANI									
MEGHARE BAUXITE MINE									
Station: Saigaon Village (Buffer Zone)									
Sr. No.	Month	Report No	Date	RSPM-10 ($\mu\text{g}/\text{m}^3$)	RSPM-2.5 ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)	Lead ($\mu\text{g}/\text{m}^3$)
1	December-2015.	1512/10632	03.12.2015	68.38	16.25	8.46	3.96	BDL	BDL
2		1512/10680	07.12.2015	59.52	16.54	7.15	6.17	BDL	BDL
3		1512/10723	10.12.2015	72.20	20.14	5.80	5.28	BDL	BDL
4		1512/10766	13.12.2015	65.31	14.28	6.80	4.39	BDL	BDL
5		1512/10809	16.12.2015	68.95	19.65	7.35	6.32	BDL	BDL
6		1512/10852	19.12.2015	67.62	20.36	8.15	7.18	BDL	BDL
7		1512/10895	26.12.2015	65.96	21.45	7.95	6.25	BDL	BDL
8		1512/10938	30.12.2015	70.15	25.63	6.84	4.28	BDL	BDL
1	January-2016	1601/01000	03.01.2016	71.34	14.17	8.40	3.15	BDL	BDL
2		1601/01043	07.01.2016	66.14	18.41	6.64	4.31	BDL	BDL
3		1601/01086	11.01.2016	69.81	18.37	5.92	1.56	BDL	BDL
4		1601/01128	15.01.2016	72.32	18.96	6.56	2.74	BDL	BDL
5		1601/01171	19.01.2016	71.67	19.85	5.28	0.97	BDL	BDL
6		1601/01214	23.01.2016	74.28	17.63	7.36	3.16	BDL	BDL
7		1601/01257	27.01.2016	70.35	18.28	8.19	2.95	BDL	BDL
8		1601/01300	30.01.2016	20.35	16.86	7.65	1.96	BDL	BDL
1	February-2016	1602/02574	03.02.2016	69.34	17.16	8.15	2.33	BDL	BDL
2		1602/02617	06.02.2016	71.45	16.95	6.19	1.64	BDL	BDL
3		1602/02660	10.02.2016	70.14	15.17	8.68	2.65	BDL	BDL
4		1602/02703	13.02.2016	72.34	16.62	6.99	1.85	BDL	BDL
5		1602/02746	17.02.2016	74.25	18.96	5.98	0.96	BDL	BDL
6		1602/02789	20.02.2016	72.31	19.35	6.34	1.23	BDL	BDL
7		1602/02832	22.02.2016	70.62	20.85	9.86	3.65	BDL	BDL
8		1602/02875	26.02.2016	69.85	16.36	8.28	4.69	BDL	BDL
	Avg.	-	-	67.69	18.26	7.29	3.48	-	-
	Min.	-	-	20.35	14.17	5.28	0.96	-	-
	Max.	-	-	74.28	25.63	9.86	7.18	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com

PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.

REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001:2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified